Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5995744".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 15:52
S2	0	714/28.ccls	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S3	147	714/28.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 18:08
S4	591	714/30.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:36
S5	577	714/30.ccls. and (not 714/28.ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:36
S6	150	714/27.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:36
S7	128	714/27.ccls. and (not 714/28,30. ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:41
S8	170	703/28.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:51
S9	144	703/20.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 17:51
S10	144	703/20.ccls. and (not 703/28.ccls)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 18:21
S11	471	712/227.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 18:32
S12	1228	710/305.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/16 16:06
S13	94	710/305.ccls. and emulat\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/14 18:32
S14	607	emulat\$4 and target and usb	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:01
S15	174	emulat\$4 and target and usb and jtag	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:28

S16	8	emulat\$4 and (host with target with (usb or (universal adj serial adj bus)))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:30
S17	14	emulat\$4 and ((host with target) same (usb or (universal adj serial adj bus)))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:31
S18	0	(on adj2 chip) with emulat\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:32
S19	343	(on-chip) with emulat\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:32
S20	60	usb and ((on-chip) with emulat\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:32
S21	60	((universal adj serial adj bus) or usb) and ((on-chip) with emulat\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:35
S22	1055	debug\$4 and (host with target with (universal adj serial adj bus) or usb)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:36
S23	11	debug\$4 and (host with target with ((universal adj serial adj bus) or usb))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/15 15:36
S24	15	debling.in.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/16 15:01
S25	4664	proxy adj server	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/16 15:02
S26	8	host with target with (proxy adj server)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/16 15:02
S27	2	"5911059".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/07/16 16:07
S30	168	714/28.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 18:08
S31	65	714/29.ccls. and (not 714/28.ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 16:32
S32	167	714/27.ccls. and (not 714/28,29. ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 16:51
S33	660	714/30.ccls. and (not 714/28,29,27. ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/09 15:21

S34	2	"6,269,330".pn.	US-PGPUB; USPAT;	OR	OFF	2005/06/08 17:13
			DERWENT			
S35	2	"6823479".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/08 17:13
S36	184	703/28.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/09 18:16
S37	165	703/20.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/09 18:16
S38	161	703/20.ccls. and (not 703/28.ccls.)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/11 16:18
S39	559	712/227.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/11 16:18
S40	0	(on adj2 chip) adj2 (emulat\$4 or simulat\$4 or debug\$4) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S41	0	((on adj2 chip) adj2 (emulat\$4 or simulat\$4 or debug\$4)) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:50
S42	0	((on adj2 chip) adj2 (emulat\$4 or simulat\$4 or debug\$4))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:50
S43	0	(on adj2 chip) adj2 (emulat\$4 or simulat\$4 or debug\$4) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S44	0	(on adj2 chip) with (emulat\$4 or simulat\$4 or debug\$4) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S45	168	714/28.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S46	0	((on adj2 chip) adj2 (emulat\$4 or simulat\$4 or debug\$4)) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 17:52
S47	34	((on-chip) adj2 (emulat\$4 or simulat\$4 or debug\$4)) with ("USB" or bus)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 13:49
S48	25	"6370603"	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:01
S49	2	"6370603".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:02

S50	3	"6816750".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:19
S51	2	"6557116".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:19
S52	2	"6516428".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:20
S53	2	"6480952".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/13 18:21
S54	2	"5754827".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 13:49
S55	8	((on-chip) adj2 (emulat\$4 or simulat\$4 or debug\$4)) same (("USB" or bus) and JTAG)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 13:59
S56	28	((integrated adj2 circuit) with (emulat\$4 or simulat\$4 or debug\$4)) same (("USB" or bus) and JTAG)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 13:55
S57	4	((on-chip) adj2 (emulat\$4)) same (("USB") and JTAG)	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:00
S58	7	((on-chip) adj2 (emulat\$4)) with (("USB"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:00
S59	6	((on-chip) adj2 (emulat\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:03
S60	0	((on-chip) adj2 (simulat\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:03
S61	0	((on-chip) adj2 (debug\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:03
S62	0	((on adj2 chip) adj2 (debug\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:03
S63	0	((on adj2 chip) adj2 (simulat\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR .	OFF	2005/06/14 14:03
S64	0	((on adj2 chip) adj2 (emulat\$4)) with ((universal adj serial adj bus))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:03
S65	0	((on adj2 chip) adj2 (emulat\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:04

S66	0	((on adj2 chip) adj2 (simulat\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:04
S67	0	((on adj2 chip) adj2 (debug\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR ·	OFF	2005/06/14 14:04
S68	1	((on-chip) adj2 (debug\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:05
S69	0	((on-chip) adj2 (simulat\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 14:05
S70	7	((on-chip) adj2 (emulat\$4)) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 15:56
S71	64	(on-chip) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 16:09
S72	405	(integrated adj2 circuit) with (("USB" or "usb"))	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 16:10
S73	40	(integrated adj2 circuit) with (("USB" or "usb")) and emulat\$4	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/14 16:10